Ph: 877.662.6633 • Fax: 877.662.6355 • E-Prescribe: Oncomed Dba Onco360 or NPI # 1679618151



## **Prostate Cancer** Prescription Form

PATIENT INFORMATION Y	ou may also fax demographics/face sheet		INSURANCE INFO. Please fax copy of ALL insurance of	cards *fror	nt & back
D. I. A.N.	DOD		Primary Insurance:		
Patient Name:		_			
			Policy Number:Group Number	:	
		_	Rx Bin: Rx PCN:		
	Cell Phone:		1001010.		
			Secondary Insurance:		
	ight. The D M D F	_			
	ight:lbs.		Policy Number:Group Number	·	
		_	Rx Bin: Rx PCN:		
			-		
PRESCRIBER INFORMATIO		NDI#.	DEAU. TAVII	٦.	
			DEA#: TAX II		
		-	ate, Zip: Fax:		
Office Contact:		_ PHOHE:	FdX		-
DIAGNOSIS INFORMATION	Please fax recent labs, clinical notes, etc. to	o help e	spedite the prior authorization process		
Primary Diagnoses:		Prir	nary ICD-10: Secondary ICD-10:		
Prior Therapies:		Rea	sons for Discontinuation:		
Prior Therapies:		Rea	sons for Discontinuation:		
Comorbidities:		Kno	wn Allergies:		
MEDICATIONS: You may tape	e Prescriptions here prior to faxing				
MEDICATION	DOSE/STRENGTH		SIG	QTY	REFILLS
☐ Abiraterone Acetate	☐ 250 mg tablets		e 1,000 mg orally once daily on an empty stomach er:	_	
□ with Prednisone	□ 5 mg tablets	☐ Tal	e 5 mg orally once daily with food e 5 mg orally twice daily with food er:	_	
☐ Akeega™ (niraparib and abiraterone acetate)	☐ 50 mg niraparib/500 mg abiraterone acetate tablets☐ 100 mg niraparib/500 mg abiraterone acetate tablets		tablet(s) orally once daily 1 hour before or 2 hours after a meal er:	_	
□ with Prednisone	□ 10 mg tablets		e 10 mg orally once daily with food ler:	-	
□ Doxetaxel					
□ Erleada® (apalutamide)	Go mg tablets 240 mg tablets		e 240 mg orally once daily er:	_	
☐ Jevtana®	G0 mg/1.5mL single dose vial, supplied with diluent (5.7 mL)		_mg/m² infused every 3 weeks		
(cabazitaxel)  with Predisone	□ 5 mg tablets	☐ Tal	e 5 mg orally once daily with food e 5 mg orally twice daily with food er:	_	
☐ Mitoxantrone	□ 20 mg/10 mL vial □ 30 mg/15 mL vial □ 25 mg/12.5 mL vial		_mg/m² infused every 3 weeks		
□ Nubeqa® (darolutamide)	☐ 300 mg tablets		e 600 mg orally twice daily with food ler:	_	
DELIVERY INFORMATION					
	Deliver to: □ Patient's home. □ MD 0#	ica/ Clinic	□ Other:		
Need by:		ICE/ CIIIIIC	U OHIOI.		
PRESCRIBER'S SIGNATURE REQU	IRED				
MD   NP   PA Signature:			☐ DAW Date:		

<sup>\*</sup>Signature on this form also provides consent to contact this patient's insurance provider for this prescription on the provider's behalf.

Ph: 877.662.6633 • Fax: 877.662.6355 • E-Prescribe: Oncomed Dba Onco360 or NPI # 1679618151



## **Prostate Cancer** Prescription Form

PATIENT INFORMATIO	N You may also fax demographics/face she	et INSURANCE INFO. Please fax copy of ALL insurance car	ds *front & back
		Primary Insurance:	
	DOB:		
SSN:		Policy Number:Group Number:	
Address:			
Home Phone:	Cell Phone:	Secondary Insurance:	
Known Allergies:			
Height:	Weight:lbs. $\square$ M $\square$	☐ F Policy Number:Group Number:	
Emergency Contact:			
Emergency Contact Phone:		Rx Bin: Rx PCN:	
DDECCDIDED INFODM	ATION		
PRESCRIBER INFORM	ATION	NPI#: DEA#: TAX ID: _	
Office Contact.		Phone: Fax:	
DIAGNOSIS INFORMAT	ION Please fax recent labs, clinical notes, e	etc. to help expedite the prior authorization process	
		Primary ICD-10: Secondary ICD-10:	
		Reasons for Discontinuation:	
·		Reasons for Discontinuation:	
		Known Allergies:	
Comorbidition.		14104117 11101 91300.	
MEDICATIONS	Anna Dana animbiana kaomanian ka famina		
MEDICATIONS: You may	tape Prescriptions nere prior to taxing		
MEDICATIONS: You may	tape Prescriptions here prior to faxing  DOSE/STRENGTH	SIG	QTY REFILLS
		SIG  Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day	QTY REFILLS
MEDICATION  □ Orgovyx® (relugolix)	DOSE/STRENGTH	☐ Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles) *Patient has completed the	DOSE/STRENGTH  ☐ 120 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose	DOSE/STRENGTH  120 mg tablets  120 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily at approximately the same time each day  Take 5 mg orally once daily with food Take 5 mg orally twice daily with food	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles)  Patient has completed the loading dose  Prednisone  Trelstar® (triptorelin pamoate for	DOSE/STRENGTH  120 mg tablets  120 mg tablets  5 mg tablets  3.75 mg with MIXJECT single dose delivery system 11.25 mg with MIXJECT single dose delivery system	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily at approximately the same time each day  Take 5 mg orally once daily with food Take 5 mg orally twice daily with food Other:  Inject intramuscularly 3.75 mg every 4 weeks Inject intramuscularly 11.25 mg every 12 weeks	
MEDICATION  □ Orgovyx® (relugolix) (Cycle 1 only)  □ Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose  □ Prednisone  □ Trelstar® (triptorelin pamoate for injectible suspension)  □ Xtandi® (enzalutamide)	DOSE/STRENGTH  120 mg tablets  120 mg tablets  120 mg tablets  5 mg tablets  120 mg tablets  25 mg with MIXJECT single dose delivery system  11.25 mg with MIXJECT single dose delivery system  22.5 mg with MIXJECT single dose delivery system  40 mg tablets  40 mg capsules	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily at approximately the same time each day  Take 5 mg orally once daily with food Take 5 mg orally twice daily with food Other:  Inject intramuscularly 3.75 mg every 4 weeks Inject intramuscularly 11.25 mg every 12 weeks Inject intramuscularly 22.5 mg every 24 weeks Take 160 mg orally once daily	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose  Prednisone  Trelstar® (triptorelin pamoate for injectible suspension)  Xtandi® (enzalutamide)	DOSE/STRENGTH  120 mg tablets  120 mg tablets  5 mg tablets  3.75 mg with MIXJECT single dose delivery system 11.25 mg with MIXJECT single dose delivery system 22.5 mg with MIXJECT single dose delivery system 22.5 mg with MIXJECT single dose delivery system 25.5 mg with MIXJECT single dose delivery system 25.5 mg tablets 250 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily at approximately the same time each day  Take 5 mg orally once daily with food Take 5 mg orally twice daily with food Other:  Inject intramuscularly 3.75 mg every 4 weeks Inject intramuscularly 11.25 mg every 12 weeks Inject intramuscularly 22.5 mg every 24 weeks Take 160 mg orally once daily Other:  Take 1,000 mg orally once daily on an empty stomach	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles) *Patient has completed the loading dose  Prednisone  Trelstar® (triptorelin pamoate for injectible suspension)  Xtandi® (enzalutamide)  Zytiga® (abiraterone acetate)	DOSE/STRENGTH  120 mg tablets  120 mg tablets  120 mg tablets  5 mg tablets  11.25 mg with MIXJECT single dose delivery system  11.25 mg with MIXJECT single dose delivery system  22.5 mg with MIXJECT single dose delivery system  40 mg tablets  40 mg capsules  250 mg tablets  500 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily at approximately the same time each day  Take 5 mg orally once daily with food Take 5 mg orally twice daily with food Other:  Inject intramuscularly 3.75 mg every 4 weeks Inject intramuscularly 11.25 mg every 12 weeks Inject intramuscularly 22.5 mg every 24 weeks Take 160 mg orally once daily Other:  Take 1,000 mg orally once daily on an empty stomach Other:  Take 5 mg orally once daily with food Take 5 mg orally once daily with food Take 5 mg orally twice daily with food	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose  Prednisone  Trelstar® (triptorelin pamoate for injectible suspension)  Xtandi® (enzalutamide)  Zytiga® (abiraterone acetate)  with Prednisone	DOSE/STRENGTH  120 mg tablets  120 mg tablets  120 mg tablets  5 mg tablets  11.25 mg with MIXJECT single dose delivery system  11.25 mg with MIXJECT single dose delivery system  22.5 mg with MIXJECT single dose delivery system  40 mg tablets  40 mg capsules  250 mg tablets  500 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily at approximately the same time each day  Take 5 mg orally once daily with food Take 5 mg orally twice daily with food Other:  Inject intramuscularly 3.75 mg every 4 weeks Inject intramuscularly 11.25 mg every 12 weeks Inject intramuscularly 22.5 mg every 24 weeks Take 160 mg orally once daily Other:  Take 1,000 mg orally once daily on an empty stomach Other:  Take 5 mg orally once daily with food Take 5 mg orally once daily with food Take 5 mg orally twice daily with food	
MEDICATION  □ Orgovyx® (relugolix) (Cycle 1 only)  □ Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose  □ Prednisone  □ TreIstar® (triptorelin pamoate for injectible suspension)  □ Xtandi® (enzalutamide)  □ Zytiga® (abiraterone acetate)  □ with Prednisone  □ Other	DOSE/STRENGTH  120 mg tablets  120 mg tablets  5 mg tablets  3.75 mg with MIXJECT single dose delivery system 11.25 mg with MIXJECT single dose delivery system 22.5 mg with MIXJECT single dose delivery system 22.5 mg with MIXJECT single dose delivery system 250 mg tablets 250 mg tablets 500 mg tablets 5 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily with food Take 5 mg orally twice daily with food Other:    Inject intramuscularly 3.75 mg every 4 weeks   Inject intramuscularly 11.25 mg every 12 weeks   Inject intramuscularly 22.5 mg every 24 weeks   Take 160 mg orally once daily Other:  Take 1,000 mg orally once daily on an empty stomach Other:  Take 5 mg orally once daily with food Other:  Take 5 mg orally once daily with food Other:	
MEDICATION  Orgovyx® (relugolix) (Cycle 1 only)  Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose  Prednisone  Trelstar® (triptorelin pamoate for injectible suspension)  Xtandi® (enzalutamide)  Zytiga® (abiraterone acetate)  with Prednisone	DOSE/STRENGTH  120 mg tablets  120 mg tablets  120 mg tablets  5 mg tablets  11.25 mg with MIXJECT single dose delivery system  11.25 mg with MIXJECT single dose delivery system  22.5 mg with MIXJECT single dose delivery system  40 mg tablets  40 mg capsules  250 mg tablets  500 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily with food Take 5 mg orally twice daily with food Other:    Inject intramuscularly 3.75 mg every 4 weeks   Inject intramuscularly 11.25 mg every 12 weeks   Inject intramuscularly 22.5 mg every 24 weeks   Take 160 mg orally once daily Other:  Take 1,000 mg orally once daily on an empty stomach Other:  Take 5 mg orally once daily with food Other:  Take 5 mg orally once daily with food Other:	
MEDICATION  □ Orgovyx® (relugolix) (Cycle 1 only)  □ Orgovyx® (relugolix) (Maintenance Cycles)  *Patient has completed the loading dose  □ Prednisone  □ Trelstar® (triptorelin pamoate for injectible suspension)  □ Xtandi® (enzalutamide)  □ Zytiga® (abiraterone acetate)  □ with Prednisone  □ Other  DELIVERY INFORMATION	DOSE/STRENGTH    120 mg tablets   120 mg tablets   120 mg tablets   3.75 mg with MIXJECT single dose delivery system   11.25 mg with MIXJECT single dose delivery system   22.5 mg with MIXJECT single dose delivery system   40 mg tablets   40 mg capsules   80 mg tablets   500 mg tablets   500 mg tablets   5 mg tablets   5 mg tablets   5 mg tablets   10 mg tablets	Take 360 mg orally on the first day of treatment followed by 120 mg taken orally once daily at approximately the same time each day  Take 120 mg orally once daily with food Take 5 mg orally twice daily with food Other:    Inject intramuscularly 3.75 mg every 4 weeks   Inject intramuscularly 11.25 mg every 12 weeks   Inject intramuscularly 22.5 mg every 24 weeks   Take 160 mg orally once daily Other:  Take 1,000 mg orally once daily on an empty stomach Other:  Take 5 mg orally once daily with food Other:  Take 5 mg orally once daily with food Other:	

<sup>\*</sup>Signature on this form also provides consent to contact this patient's insurance provider for this prescription on the provider's behalf.